

DIRECT CARE STAFF COMPETENCY CHECKLIST

Ambulation with Gait - Transfer Belt

Assist with Bedpan Use

Assisted with Dining

Assisted Dressing - One Sided Weakness

Catheter Care - Female Resident

Empty Catheter Drainage Bag

Foot Care

Hand & Nail Care

Handwashing

Incontinence Care

Infection Control & Emergency Safety Skills

Making an Occupied Bed

Oral Care - Dentures

Partial Bath & Back Rub

Positioning Resident - Side Lying & Supported

Resident Transfer - Bed to Wheelchair

Vital Signs - Radial Pulse

Vital Signs - Respirations



DIRECT CARE STAFF COMPETENCY CHECKLIST Ambulation with Gait - Transfer Belt

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies		14121	
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and glove if indicated			
Apply transfer/gait belt prior to standing resident			
Place belt around resident's waist and over clothing			
Secure snuggly so only palm of hand fits under belt			
Ensure skin folds, breast tissue, etc. are not caught under belt			
Cue or signal to resident prior to attempting to			
stand			
Assist resident to standing while holding the			
transfer/gait belt			
Maintain proper body mechanics when assisting			
resident to stand and/or sit			
Ask the resident how they feel in a standing			
position			
Ambulate resident while holding gait belt			
Provide support while ambulating with an arm			
around the resident's back while holding the			
transfer/gait belt			
Ask the resident how they feel while ambulating			
Assist resident to have back of legs positioned			
against the seat of chair prior to sitting			
Provide support to sit resident in chair			
Remove transfer/gait belt from resident			
Remove gloves/Wash hands			
Leave resident in proper body alignment with hips			
against back of seat			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Ambulation with Gait - Transfer Belt

Ask resident about comfort and/or additional needs	
prior to leaving	
Promote resident rights and safety during care	
, , , , , , , , , , , , , , , , , , ,	
NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Assist with Bedpan Use

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply gloves			
Place protective pad on bed under buttocks			
Place bed pan on protective pad and seat resident			
in a comfortable position (resident may side lay or			
raise hips)			
Raise the head of the bed after the resident is			
positioned			
Provide privacy			
Leave toilet paper within resident's reach			
Instruct resident to turn on call light when finished			
Lower the head of the bed to remove bed pan			
Apply gloves prior to removing bed pan			
Assist with peri care as needed			
Empty contents of bedpan in toilet			
Rinse bedpan, emptying contents into toilet			
Dry bedpan and place in plastic bag or cover			
Remove gloves, wash hands			
Offer resident a damp washcloth or hand wipe to			
cleanse hands after bedpan use			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Assist with Bedpan Use

NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Assist With Dining

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Assist or cue resident to sit upright in chair prior to			
assisting with dining			
Offer or assist resident with handwashing			
Sit facing the resident if possible			
Offer to apply clothing protectors			
Use appropriate eating utensils while assisting			
Offer fluid to drink throughout the dining			
experience (after every 2-3 bites of food)			
Allow resident to swallow before introducing more			
food to the mouth			
Include socialization, conversation during meal			
service			
Clean resident's face/mouth when completed			
Place clothing protector and other used linen in			
hamper			
Record amount of food and fluid intake per policy			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Assist With Dining

EVALUATORDATE	NAME	DATE
EVALUATOR		
	EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Assisted Dressing One Sided Weakness

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply clean gloves if indicated			
Ask resident if they have a clothing preference			
Collect all clothing prior to removing resident gown			
Support affected arm while removing gown			
Dress affected side first			
Gather sleeve to ease pulling over affected arm			
Dress resident, put on pants, shirt, dress, etc.			
Avoid over extension of extremities or use of force			
when removing or applying clothing			
Place dirty gown in hamper			
Keep resident a safe distance from edge of bed			
Remove gloves and wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			

NAME	DATE
EVALUATOR_	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Catheter Care – Female Resident

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply clean gloves			
Position towel or under pad under buttocks/thigh			
area prior to procedure			
Use warm water for washing and rinsing			
Apply soap to washcloth and cleanse inner labia			
With clean washcloth, cleanse catheter washing			
away from body and down the catheter at least 3-4			
inches			
Use clean, soap free washcloth to rinse			
Wipe front to back, rotating sections of washcloth			
Wipe away from the body when rinsing the			
catheter			
Dry perineal area from front to back			
Maintain tubing free of kinks or obstructions			
Maintain urinary drainage bag positioned below the			
level of the bladder			
Provide catheter privacy bag			
Rinse, dry and store equipment per policy			
Remove gloves, wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Catheter Care – Female Resident

NAME	DATE
EVALUATOR	DATE
EVALUATOR	DATE.



DIRECT CARE STAFF COMPETENCY CHECKLIST Empty Catheter Drainage Bag

AREA OBSERVED	MET	NOT	COMMENTS
		MET	
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply clean gloves			
Set container on paper towel on floor			
Open drainage port and empty contents into			
container			
Set container on clean paper towel at eye level to			
read measurement			
Empty urine into toilet			
Rinse/dry container and store per policy			
Remove gloves and wash hands			
Document output as urine, the amount and time			
Leave urinary drainage bag hanging below bladder			
level			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			

NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Foot Care

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply clean gloves			
Fill water basin with warm water			
Place basin on protective barrier on floor			
Soak resident's foot in basin of warm water			
Use washcloth to wash foot without adding soap			
directly to the basin			
Wash top and bottom of foot and between toes			
Rinse foot including between toes			
Dry foot including between toes			
Apply warm lotion to foot avoiding between toes			
Remove visible excess lotion			
Apply sock and shoe as appropriate			
Provide support to lower extremity throughout			
procedure			
Avoid placing resident's bare foot directly on floor			
Rinse, dry and store basin and dispose of soiled			
linen per policy			
Remove gloves, wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Foot Care

EVALUATORDATE	NAME	DATE
EVALUATOR		
	EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Hand and Nail Care

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies		IVILI	
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply clean gloves			
Fill basin with warm water to soak fingers/hands			
Place fingers or full hand into basin of water to soak			
prior to cleaning nails			
Clean hand surfaces and between fingers using a			
wet, soapy washcloth, cleaning between fingers			
Rinse thoroughly using a wet washcloth			
Place resident's hand on clean/dry towel to			
perform nail care			
Using flat edge of nail device, remove residue under			
tips of fingernails; rinse nail device as needed			
File nails as needed, leaving smooth edges			
Apply lotion if resident desires			
Remove visible/excess lotion from hand if present			
Rinse, dry and store equipment per policy			
Remove gloves, wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Hand and Nail Care

NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Handwashing

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Wet hands and applies soap			
Distributes soap using friction to create lather			
Cleanses hands front and back, between fingers,			
around cuticles, under nails and wrists			
Lathers and maintains friction for a minimum of 20			
seconds			
Rinses wrists and hands			
Dries hands with clean paper towel			
Turns faucet off using clean paper towel			

NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Incontinence Care

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply clean gloves			
Remove soiled under pad/brief			
Place clean/dry under pad under the resident			
Use warm water for washing and rinsing			
Apply soap to washcloth and wash front perineum			
including genital and skin fold areas of groin			
Use clean, soap-free, wet washcloth to remove			
soap from resident's skin on front of perineum			
Dry front of perineum using towel to pat dry, move			
front to back			
Replace water in basin during care if it becomes			
cold or soapy			
Position resident on side to prepare for cleansing of			
buttocks and rectal area			
Wash, rinse and dry buttocks and rectal area			
moving front to back			
Apply clean brief if applicable			
Rinse, dry and store equipment per policy			
Remove gloves, wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Incontinence Care

NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Infection Control and Emergency Safety Skills

AREA OBSERVED	MET	NOT	COMMENTS
		MET	
Gather supplies/emergency equipment as needed			
Perform handwashing/use of hand sanitizer			
Perform Heimlich maneuver			
Active seizure intervention			
Fall prevention and post-fall intervention			
Applying PPE including gloves, mask and gown			
Removing PPE including gloves, mask and gown			
Soiled linen handling			
Isolation precautions including hazard waste			

NAME	DATE	
FVΔΙΙΙΔΤΩR	DΔTF	



DIRECT CARE STAFF COMPETENCY CHECKLIST Making Occupied Bed

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to beginning			
Maintain resident away from edge of bed at all times			
Wash hands and apply clean gloves			
Remove and replace bottom sheet on one side of bed			
Turn resident to remove and replace sheet on other side of bed			
Resident is never in direct contact with mattress			
Secure bottom sheet to mattress			
Smooth any wrinkles or folds from bottom sheet			
Sheets are removed without creating friction/shearing risk			
Replace clean top sheet and place on resident			
Tuck top sheet loosely under foot of mattress unless requested not to			
Top sheet is loose enough to avoid pressure against toes and allows for foot movement			
Keep pillow positioned under resident's head			
except when replacing pillow cover			
Complete procedure with resident positioned between the top and bottom sheet			
Place soiled linen in hamper			
Remove gloves and wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Making Occupied Bed

NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Oral Care – Dentures

AREA OBSERVED		NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply clean gloves			
Protect dentures from contamination; use barrier			
when setting dentures down			
Protect dentures from damage by lining sink with			
washcloth, filling sink with water, etc.			
Use cool or tepid running water to clean and rinse			
dentures			
Brush all surfaces of the denture using a toothbrush			
or denture brush with toothpaste			
Rinse denture thoroughly to remove toothpaste			
Handle clean denture maintaining cleanliness by			
placing in denture cup with cool water			
Leave denture cup on resident's bedside cabinet or			
overbed table			
Protect resident's clothing prior to providing oral			
care			
Provide oral care to upper and lower gums using			
moistened foal tipped applicator or toothbrush			
Offer resident water to rinse mouth			
Provide basin or disposable cup for spitting as			
needed			
Leave area around resident's mouth clean and dry			
Rinse all equipment, dry and store per policy			
Remove gloves, wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Oral Care – Dentures

NAME	DATE
EVALUATOR	DATE




DIRECT CARE STAFF COMPETENCY CHECKLIST Partial Bath and Back Rub

AREA OBSERVED		NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply clean gloves			
Fill basin with warm water to soak fingers/hands			
Cleanse eyes by using soap-free wet washcloth,			
wiping eye from the inside corner to the outside			
corner			
Change to a clean area of the washcloth before			
returning to inner corner and before cleansing			
other eye			
Wash resident's face using a soap free, wet			
washcloth			
Leave face to dry after washing			
Protect bed linen from becoming wet during			
washing and rinsing			
Wash resident's neck, hands, arms, chest and			
abdomen using a wet washcloth with a small			
amount of soap to lather			
Rinse skin using a clean, wet washcloth			
Dry using a soft, clean towel			
Assist resident to turn onto side to cleanse back			
Wash, rinse and dry back			
Replace basin of water during task if it becomes			
cold or soapy			
Warm lotion before applying to resident's back			
Use lotion to provide back rub with long, gliding			
and circular motions			
Provide resident with a clean gown/clothing and			
assist in dressing as needed			
Rinse, dry and store equipment per policy			
Remove gloves, wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			



DIRECT CARE STAFF COMPETENCY CHECKLIST Partial Bath and Back Rub

Use Standard Precautions and infection control		
measures when providing care		
Ask resident about comfort and/or additional needs		
prior to leaving		
Promote resident rights and safety during care		



This work is licensed under the Creative Commons Attribution-NoDerivatives 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nd/4.0/.

This policy and procedure is not intended to replace the informed judgment of individual physicians, nurses or other clinicians nor is it intended as a statement of prevailing community standards or minimum standards of practice. It is a suggested method and technique for achieving optimal health care, not a minimum standard below which residents necessarily would be placed at risk.



DIRECT CARE STAFF COMPETENCY CHECKLIST Positioning Resident – Side Lying and Supported

AREA OBSERVED	MET	NOT	COMMENTS
Cathor cumplies		MET	
Gather supplies Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning N/ash banda and annhuala an alaua			
Wash hands and apply clean gloves			
Assist resident with turning onto side before placing			
positioning devices			
Resident is away from edge of bed at all times			
Place positioning device or pillow under/against			
resident's back to maintain side lying position			
Leave resident positioned on side with upper knee			
bent in front of lower leg			
Support resident's top leg with pillow between			
knees to protect boney prominences			
Leave resident positioned on side without lying on			
shoulder, arm or hand			
Position pillow under resident's head to support the			
neck and chin			
Place pillow or device to support resident's upper			
arm			
Remove gloves and wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			



DIRECT CARE STAFF COMPETENCY CHECKLIST Positioning Resident – Side Lying and Supported

NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Resident Transfer Bed to Wheelchair

AREA OBSERVED	MET	NOT MET	COMMENTS
Gather supplies			
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply gloves if indicated			
Place wheelchair near resident's bed before			
assisting resident to sit at edge of bed			
Move wheelchair footrests out of the way before			
standing the resident for transfer			
Place nonskid footwear (i.e., shoes, gripper socks)			
on the resident before standing for transfer			
Provide support to assist resident to sitting position			
on side of bed; do not pull on resident's arms or			
hands			
Remove gloves if used and wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			

NAME	DATE
FVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Vital Signs – Radial Pulse

AREA OBSERVED	MET	NOT MET	COMMENTS
Introduce self to resident; greet resident by name		IVILI	
Explain the procedure to the resident prior to			
beginning			
Wash hands and apply gloves if indicated			
Support resident's arm to avoid dangling			
Place fingers (not thumb) on wrist at radial pulse to			_
measure pulse rate			
Count pulse for one full minute			
Record pulse rate per policy			
Remove gloves if used and wash hands			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			

NAME	DATE
EVALUATOR	DATE



DIRECT CARE STAFF COMPETENCY CHECKLIST Vital Signs – Respirations

AREA OBSERVED	MET	NOT	COMMENTS
		MET	
Introduce self to resident; greet resident by name			
Explain the procedure to the resident prior to			
beginning			
Measure rate of respirations without providing			
instruction to resident			
Count respirations for one full minute			
Record resident's respiration rate per policy			
Leave assist devices within reach of resident			
Leave call light within reach of resident			
Use Standard Precautions and infection control			
measures when providing care			
Ask resident about comfort and/or additional needs			
prior to leaving			
Promote resident rights and safety during care			

NAME	DATE
EVALUATOR	DATE