

### **Choosing Safer Activities**

#### What You Need to Know:

- If you are fully vaccinated <a href="https://www.cdc.gov/coronavirus/2019-ncov/vaccines/fully-vaccinated">https://www.cdc.gov/coronavirus/2019-ncov/vaccines/fully-vaccinated</a>, you can resume activities that you did prior to the pandemic.
- Fully vaccinated people can resume activities without wearing a mask or physical distancing, except where required by federal, state, local, tribal, or territorial laws, rules, and regulations, including local business and workplace guidance.
- If you haven't been vaccinated yet, find a vaccine <a href="https://www.cdc.gov/coronavirus/2019-ncov/vaccines/How-Do-I-Get-a-COVID-19-Vaccine.html">https://www.cdc.gov/coronavirus/2019-ncov/vaccines/How-Do-I-Get-a-COVID-19-Vaccine.html</a>.

COVID-19 <a href="https://www.cdc.gov/coronavirus/2019-ncov/vaccines/keythingstoknow.html">https://www.cdc.gov/coronavirus/2019-ncov/vaccines/keythingstoknow.html</a> vaccines are effective at protecting you from getting sick. Based on what we know about COVID-19 vaccines <a href="https://www.cdc.gov/coronavirus/2019-ncov/vaccines/keythingstoknow.html">https://www.cdc.gov/coronavirus/2019-ncov/vaccines/keythingstoknow.html</a>, people who have been fully vaccinated can start to do some things that they had stopped doing because of the pandemic.

These recommendations can help you make decisions about daily activities after you are fully vaccinated. They are not intended for healthcare settings https://www.cdc.gov/coronavirus/2019-ncov/hcp/infection-control-after-vaccination.html.

## Have you Been Fully Vaccinated?

In general, people are considered full vaccinated:

- 2 weeks after their second dose in a 2-dose series, such as the Pfizer or Moderna vaccines, or
- 2 weeks after a single-dose vaccine, such as Johnson & Johnson's Janssen vaccine

If you don't meet the requirements, regarding of your age, you are NOT fully vaccinated. Keep taking all precautions until you are fully vaccinated.

If you have a condition or are taking medications that weaken your immune system, you may NOT be fully protected even if you are fully vaccinated. Talk to your healthcare provider. Even after vaccination, you may need to continue taking all precautions <a href="https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/prevention.html">https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/prevention.html</a>.

# What You Can Start To Do







This work is licensed under the Creative Commons Attribution-NoDerivatives 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nd/4.0/

This policy and procedure is not intended to replace the informed judgment of individual physicians, nurses or other clinicians nor is it intended as a statement of prevailing community standards or minimum standards of practice. It is a suggested method and technique for achieving optimal health care, not a minimum standard below which residents necessarily would be placed at risk.



## If you've been fully vaccinated:

- You can resume activities that you did prior to the pandemic.
- You can resume activities without wearing a mask or staying 6 feet apart, except where required by federal, state, local, tribal, or territorial laws, rules, and regulations, including local business and workplace guidance.
- If you travel in the United States <a href="https://www.cdc.gov/coronavirus/2019-ncov/travelers/travel-during-covid19.html">https://www.cdc.gov/coronavirus/2019-ncov/travelers/travel-during-covid19.html</a>, you do not need to get tested before or after travel or self-quarantine after travel.
- You need to pay close attention to the situation at your international destination <a href="https://www.cdc.gov/coronavirus/2019-ncov/travelers/map-and-travel-notices.html">https://www.cdc.gov/coronavirus/2019-ncov/travelers/map-and-travel-notices.html</a>
   before traveling outside the United States.
  - You do NOT need to get tested before leaving the United States unless your destination requires it.
  - You still need to show a negative test result
     https://www.cdc.gov/coronavirus/2019-ncov/travelers/testing-international-air-travelers.html
     or documentation of recovery from COVID-19 before boarding an international flight to the United States.
  - You should still get tested 3-5 days after international travel.
  - o You do NOT need to self-quarantine **after** arriving in the United States.
- If you've been around someone who has COVID-19, you do not need to stay away from others or get tested unless you have symptoms.
  - However, if you live or work in a correctional or detention facility or a homeless shelter and are around someone who has COVID-19, you should still get tested, even if you don't have symptoms.

## What you Should Keep Doing







#### For now, if you've been fully vaccinated:

- You will still need to follow guidance at your workplace and local businesses.
- If you travel <a href="https://www.cdc.gov/coronavirus/2019-ncov/travelers/index.html">https://www.cdc.gov/coronavirus/2019-ncov/travelers/index.html</a>, you should still take steps to protect yourself and others
   <a href="https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/prevention.html">https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/prevention.html</a>. You will still be required to wear a mask <a href="https://www.cdc.gov/coronavirus/2019-ncov/travelers/face-masks-public-transportation.html">https://www.cdc.gov/coronavirus/2019-ncov/travelers/face-masks-public-transportation.html</a> on planes, buses, trains and other forms of public transportation traveling into, within, or out of the United States, and in

This work is licensed under the Creative Commons Attribution-NoDerivatives 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nd/4.0/

This policy and procedure is not intended to replace the informed judgment of individual physicians, nurses or other clinicians nor is it intended as a statement of prevailing community standards or minimum standards of practice. It is a suggested method and technique for achieving optimal health care, not a minimum standard below which residents necessarily would be placed at risk.



U.S. transportation hubs such as airports and stations. Fully vaccinated international travelers <a href="https://www.cdc.gov/coronavirus/2019-ncov/travelers/international-travel-during-covid19.html">https://www.cdc.gov/coronavirus/2019-ncov/travelers/international-travel-during-covid19.html</a> arriving in the United States are still required to get tested <a href="https://www.cdc.gov/coronavirus/2019-ncov/travelers/testing-international-air-travelers.html">https://www.cdc.gov/coronavirus/2019-ncov/travelers/testing-international-air-travelers.html</a> 3 days before travel by air into the United States (or show documentation o recovery from COVID-19 in the past 3 months) and should still get tested 3-5 days after your trip.

- You should still watch out for symptoms of COVID-19
   <a href="https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html">https://www.cdc.gov/coronavirus/symptoms.html</a>,
   especially if you've been around someone who is sick. If you have symptoms of COVID-19, you should get tested <a href="https://www.cdc.gov/coronavirus/2019-ncov/coronavirus/2019-ncov/is-you-are-sick/isolation.html">https://www.cdc.gov/coronavirus/2019-ncov/is-you-are-sick/isolation.html</a> and away from others.
- People who have a condition or are taking medications that weaken the immune system, should talk to their healthcare provider to discuss their activities. They may need to keep taking all precautions to prevent COVID-19
   <a href="https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/prevention.html">https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/prevention.html</a>.

#### What We Know

- COVID-19 vaccines are effective at preventing COVID-19 disease, especially severe
  illness and death.
- COVID-19 vaccines reduce the risk of people spreading COVID-19.

#### What We're Still Learning

- How effective the vaccines are against variants of the virus that causes COVID-19. Early
  data show the vaccines may work against some variants but could be less effective
  against others.
- How well the vaccines protect people with weakened immune systems, including people who take immunosuppressive medications.
- How long COVID-19 vaccines can protect people.

As we know more, CDC will continue to update our recommendations for both vaccinated and unvaccinated people.

 $\underline{https://www.cdc.gov/coronavirus/2019-ncov/vaccines/fully-vaccinated.html}$ 

May 16, 2021

This work is licensed under the Creative Commons Attribution-NoDerivatives 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nd/4.0/

This policy and procedure is not intended to replace the informed judgment of individual physicians, nurses or other clinicians nor is it intended as a statement of prevailing community standards or minimum standards of practice. It is a suggested method and technique for achieving optimal health care, not a minimum standard below which residents necessarily would be placed at risk.